



CLOSURE

LICENSED MANUFACTURER OF MARCO CLOSURE

Manufactured in Ontario, CA

CLOSED CELL POLYOLEFIN FOAM



DB BUILDING FASTENERS MANUFACTURES A FULL ASSORTMENT OF CLOSURE PROFILES NOW IN ONTARIO, CALIFORNIA. THIS VERSATILITY MEANS DB MEETS EACH CUSTOMER'S SPECIFIC DELIVERY REQUIREMENTS.

PROFILE DESCRIPTION	PROFILE DESCRIPTION	DB PART #	PITCH OF CORR.	HGT. OF CORR.	LENGTH OF CLOSURE	PCS PER CTN	PRICE PER EACH		
							1 CTN	2 TO 4 CTNS	5+ CTNS
	2.67" X 1/2" CORRUGATED	6933-S	2.67"	1/2"	36"	100	0.69	0.58	0.48
	2.67" x 7/8" CORRUGATED	7242-S	2.67"	7/8"	36"	100	0.73	0.61	0.51
	LEXAN / DYNAGLASS	6785-S	3"	1/2"	36"	100	0.65	0.54	0.45
	BOX RIB INNER (LG VOID)	6338-I	7.2"	1 1/2"	36"	100	0.95	0.79	0.66
	BOX RIB OUTER (SM VOID)	6338-O	7.2"	1 1/2"	36"	100	0.95	0.79	0.66
	7.2" CORRUGATED HR36	8170-S	7.2"	1 1/2"	36"	100	1.08	0.90	0.75
	KLIP RIB INNER	2791-I	8"	1 5/8"	32"	100	1.08	0.90	0.75
	KLIP RIB OUTER	2791-O	8"	1 5/8"	32"	100	1.38	1.15	0.96
	MAX RIB INNER*	6587-I	9"	3/4"	36"	100	0.69	0.58	0.48
	MAX RIB OUTER*	6587-O	9"	3/4"	36"	100	0.69	0.58	0.48
	MULTI RIB INNER	6890-I	12"	1 3/16"	36"	100	1.25	1.04	0.87
	MULTI RIB OUTER	6890-O	12"	1 3/16"	36"	100	1.25	1.04	0.87
	R PANEL INNER	6477-I	12"	1 1/4"	36"	100	1.25	1.04	0.87
	R PANEL OUTER	6477-O	12"	1 1/4"	36"	100	1.25	1.04	0.87
	A PANEL INNER	8682-I	12"	1 1/4"	36"	100	1.25	1.04	0.87
	A PANEL OUTER	8682-O	12"	1 1/4"	36"	100	1.25	1.04	0.87
	SSR 12" PANEL OUTER	5481	12"	2 1/2"	12"	100	1.22	1.02	0.85
	SSR 18" PANEL OUTER	5482	18"	2 1/2"	18"	100	1.22	1.02	0.85
	SSR PLUG	5435	N/A	2 1/2"	N/A	250	0.10	0.08	0.07
	SPANLINE 36 INNER	1251-I	12"	1 1/8"	36"	100	1.34	1.12	0.93
	SPANLINE 36 OUTER	1251-O	12"	1 1/8"	36"	100	1.34	1.12	0.93

OTHER PROFILES AND MATERIAL AVAILABLE IN STOCK OR MADE TO ORDER. SPECIAL ORDER TURNAROUND OF ONLY 3 DAYS. ALL PROFILES AVAILABLE WITH IN HOUSE APPLIED ADHESIVE.

*MAX RIB / GRAND RIB III / CLASSIC RIB / 3/4" RIB

EMSEAL

AST HI-ACRYLIC

IS A SELF ADHERING TAPE SEAL MADE FROM RESILIENT, OPEN CELL POLYURETHANE FOAM IMPREGNATED WITH A WATER BASED ACRYLIC MODIFIED ASPHALT EMULSION AND THEN COMPRESSED TO A SEALING DENSITY.



LEVELS OF SEALING

- 1 - NO SEAL (MATERIAL NEEDS SOME COMPRESSION TO STAY IN JOINT)
- 2 - HEAT & COLD, DUST, ACOUSTIC
- 3 - HEAT & COLD, DUST, ACOUSTIC, AIR
- 4 - HEAT & COLD, DUST, ACOUSTIC, AIR, VAPOR
- 5 - HEAT & COLD, DUST, ACOUSTIC, AIR, VAPOR, WATER

- *COMPRESSION FROM FULLY EXPANDED SIZE
- 18% COMPRESSED*
- 66% COMPRESSED*
- 75% COMPRESSED*
- 80% COMPRESSED*

SIZE	EXPANDS TO	DB PART #	ROLLS / CTN	PRICE PER ROLL		
				1 ROLL	1 CTN	10 CTNS
1/4" X 1" X 19.68'	1" X 1"	EMSEAL-ASH-25-25-06	16	20.13	16.78	13.98
3/8" X 1" X 13.2'	1 1/2" X 1"	EMSEAL-ASH-40-25-04	48	21.27	17.72	14.77
1/2" X 1" X 13.12'	2" X 1"	EMSEAL-ASH-50-25-04	24	30.11	25.10	20.91